Complex compounding pharmacy self-inspection template

Complex compounding is defined under the Pharmacy Board of Australia (PBA) Guidelines for compounding medicines August 2024. The *Therapeutic Goods Act 1989* and the *Therapeutic Goods Regulation 1990* provide for the pharmaceutical compounding of medicines in certain circumstances

Purpose

This checklist has been developed for Tasmanian Pharmacy Authority (TPA) inspectors to conduct inspections on pharmacies which undertake complex compounding.

It can also serve as a self-audit tool for use by a pharmacist or non-pharmacist to assess their compounding practice to ensure it is compliant with complex compounding guidelines and Tasmanian state legislation. Proprietors / pharmacists that are considering providing complex compounding services in their pharmacies may also find the checklist useful for understanding the aspects of this practice.

The professional obligation of a complex compounding pharmacist should be determined with reference to relevant Commonwealth and State legislative instruments alongside current references, guidelines, standards, and resources.

.

January 2025 (v 1.4)

TASMANIAN PHARMACY AUTHORITY

Email: registrar@p	harmacyauthority.tas.gov.au	Telephone: 0417 752 345
Pharmacy's full nai	me:	
	Complex compounding pharmacy	,
	Self-inspection Report Template	
	Pursuant to Pharmacy Control Act 2001 Part 4	
Pharmacy's physica	al address:	
Phone:	Fax	
EMAIL ADDRESS:		
Owner:		••••••
Pharmacist in Char and usually in charg	gege	i.e., the pharmacist regularly
Pharmacist-in-char	ge during the inspection:	
Ahpra Registration	Number of the Pharmacist-in-charge:	

A. PERSONNEL: References and resources Pharmacy Board Australia (PBA) Guidelines on compounding medicines 2024 s2 and s4 and s9, Ahpra Code of conduct 2022 Pharmaceutical Society of Australia (PSA) National competency standards framework for pharmacist in Australia 2016 (Competency Standards 2016) PSA Professional Practice Standards 2023 Evidence examples Yes No N/A A1: Are all compounding staff, dispensary technicians, interns, pharmacy students or pharmacists Training records Certificates of completed training appropriately trained? Copies of audits of hand hygiene and garbing A1a: Is there evidence of regular training and evaluation of personal hygiene and garbing? A1b: Is there evidence of evaluations of an individual's sterile technique(s)? Media fill testing results to demonstrate aseptic technique. A1c: Is there evidence of evaluation of individuals process validation? (ideally – 2 different drugs / 2 different dosage forms per technician per year sent for external validation) A2: Do compounding staff work directly under the supervision of the compounding pharmacist? Job descriptions of technicians Completed compounding worksheets NB: In cases where the pharmacy uses integrated software for compounding, the pharmacist is not required to be present in compounding room with technician. However, completed risk assessments and compounding worksheets can only be completed by supervising pharmacist. A3. Is base line and regular annual pathology monitoring performed (where required) of compounding staff? Comments:

Pharr	JBLICATIONS (hardcopy/softcopy or website) nacy Board Australia (PharmBA) Guidelines on compounding medicines 2024 Section 15	Yes
	26 Compounding – Workplace safety	No
		N/a
B1. A	Il current Tasmanian and Commonwealth legislation relating to pharmaceutical compounding are available to compounding staff and accessible	11, 4
	the compounding laboratory.	
_	Therapeutic Goods Act 1989, Therapeutic Goods Regulations 1990, and relevant Therapeutic Goods Orders	
_	The Agricultural and Veterinary Chemicals Code Act 1994	
-	Poisons Act 1978 (Tas) and Poisons Regulations 2018 (Tas)	
-	The current Poisons Standard (Uniform scheduling of Medicines and Poisons (SUSMP)).	
-	Work Health and Safety Act 2012 (Tas)	
-	Pharmacy Control Act 2001 (Tas)	
B2 C	urrent references, guidelines, standards, and resources are available and accessible to compounding staff and from the compounding	
labor	atory	
-	Pharmacy Board of Australia (PharmBA) guidelines	
-	Pharmaceutical Society of Australia (PSA) guidelines	
-	Australian Pharmaceutical Formulary (APF) current edition	
-	Tasmanian Pharmacy Authority (TPA) guidelines	
-	Good Manufacturing Practice for Medicinal Products	
-	Pharmaceutical Society of Australia Professional Practice Standards 2023- Standard 8: Compounding	
-	The Society of Hospital Pharmacists of Australia (SHPA) Standards of Practice for the Safe Handling of Cytotoxic Drugs in Pharmacy	
Depa	rtments	
-	Australian standards for clean rooms	
-	SHPA Standards of Practice for the Provision of Oral Chemotherapy for the Treatment of Cancer (Hospital Pharmacy Departments only)	
-	The Society of Hospital Pharmacists of Australia SHPA Guidelines for Medicines Prepared in Australian Hospital Pharmacy Departments	
-	United States Pharmacopoeia (USP) November 2023– section 795 (non-sterile compounding) and 797 (sterile compounding)	
	egister of safety data sheets (SDS) for hazardous materials	
Comi	ments:	
	United States Pharmacopoeia (USP) updated version released November 2023– section 795 (non-sterile compounding) and 797	
•	le compounding) – Sterile compounding – guided by the USP 797 which has been adopted by Australia – USP 797 - describes the	
requ	rements, including, responsibilities of compounding personnel, training, facilities, environmental monitoring etc	

C. PREMISES AND EQUIPMENT

References and resources:

Pharmacy Control Act 2001 s71E(3)

Tasmanian Pharmacy Authority (TPA) Guidelines v6.2 s12

PharmBA Guidelines on compounding medicines (2024)

PharmBA Guidelines for proprietor pharmacists

APF 26 Compounding – facilities and equipment and Handling and/or compounding hazardous materials – Guidance on safe handling

PSA Competency Standards 2016

PSA Professional Practice Standards 2023: Standard 8

Poisons Standard (Standard for the Uniform Scheduling of Medicines and Poisons, (SUSMP))

USP-NF Hazardous Drugs – Handling in Healthcare Settings

	Yes No N/a	Evidence examples- photos
C1. There is a dedicated room for pharmaceutical compounding activities (away from routine dispensing activity and high traffic areas), which has floor to ceiling walls, at least one door, lockable if located in area easily accessible by the public?		Visual inspection
 C2. The compounding room complies with the following: An impervious floor Impervious surfaces cleanable by washing Adequate ventilation and lighting At an ambient temperature of 25 degrees C or less which is monitored and maintained Dedicated sink (stainless steel or impervious) with hot and cold running water. Dedicate area clearly identifiable and labelled for use to isolate raw materials or compounded preparations not to be used or released. At least one bench (2m long and 90cm wide) as working space for compounding activities. Food and drinks are excluded from the room. 		Visual inspection Documentation of environmental controls can include:(verification should occur annually) - Temperature/humidity logs - Airflow testing - Total particle count testing

C3. All equipment in the compounding laboratory	Visual inspection
, ,	·
- is used exclusively for compounding	Standard Operating procedure
- is cleaned thoroughly before and after use?	- Logs/records of surface sampling-
- If used for cytotoxic or sterile products is designated only for these uses.	conducted 1/12 at minimum.
- Is in good clean working order (spatulas, mortar, and pestles (one of glass), funnel, stirring	 Cleaning/cleaning logs
rods, ointment slabs)	- A schedule and method for
	establishing and verifying the
And includes (dependant on compounding requirements)	effectiveness of sterilization and
- Scale(s) which are appropriate to the compounding work being undertaken and are calibrated	depyrogenation
at least every 12 months.	
- Date of calibration:	Certificate of compliance and recertification
- A range of calibrated measures (200ml, 100ml, 10ml and 5ml dispensing measures)	(6/12) for Powder containment hood, airflow
- Approved powder containment hood for handling hazardous materials. (certified as meeting	testing and HEPA filter
Australian Standards) with HEPA filtration and continuous pressure monitoring	
- Filtration (as the final method of sterilization) equipment	
- Appropriate heating source (hot plate/stirrer)	Filter integrity testing results (filter used
- Appropriate fridge and freezer (if required) for compounding product/raw material storage	should be attached to worksheet)
with monitored data logger	should be attached to worksheety
Comment:	
- A spill kit	
· ·	Manual or electronic detalogger devented
- Appropriate equipment and packaging for the dosage forms of compounded products	Manual or electronic datalogger download
(capsule machine, pH meter, child resistant closures, amber glass containers) which are stored	reports (daily or weekly)
off the floor.	
C4. Personal protective equipment (PPE) is available for all compounding staff.	Standard operating procedure
, , , , , , , , , , , , , , , , , , ,	, , ,
- Laboratory coats, surgical face mask, disposable gloves, hair, and beard covers.	Physical evidence of PPE
- PPE for handling hazardous materials,	
Eye protection, non-shedding, impermeable disposable gown/coveralls, appropriate respirator	
mask (P1,P2,P3) nitrile gloves, hair, beard, and shoe coverings.	
- Any other PPE advised in relevant Safety Data Sheets	

C5. Non-sterile compounding involving hazardous materials	Standard operating procedures
Activities are carried out to minimise:	
- cross contamination of product with other compounding products	
- exposure of hazardous materials to pharmacy staff.	
Risk management plan is in place and:	Risk Management Plan
- Addresses how risks will be controlled, to minimise risk to pharmacy staff (reasonably and	
practically)	
- There are records of identified risks which are regularly reviewed.	Standard operating procedures
- Standard Operating Procedures include:	
 Use of Safety Data Sheets for PPE and cleaning protocols 	
 Exclusion criteria (pregnancy) 	
 Streamlined workflow processes 	
 No other compounding occurs during hazardous material compounding 	
OR	
- Pharmacy has separate powder containment hood.	
OR	
- Separate and dedicated compounding laboratory (or room in compounding laboratory)	
C6: Medicinal Cannabis (MC)	
- Are there certificates of analysis from GMP (Good Manufacturing Practice) suppliers for MC	Certificates of analysis
distillates used for dilatation?	
- If there are raw ingredients or compounded preparations that are classified as Schedule 8	
medicines (contain THC) are they stored in compliant safe, approved by Pharmaceutical	
Services Branch?	
- Is there separate equipment and area for the manufacturer of MC?	
Comment:	

D. QUALITY ASSURANCE References and resources Australian Pharmaceutical Formulary (APF) 26 Compounding-Good compounding Practice - Quality Assurance. PBA Guidelines on compounding medicines August 2024 - section 3 PSA Competency Standards 2016 PSA Professional Practice Standards 2023 Evidence examples Yes No N/A Details for 1-3 random Raw materials: D1. Source: raw materials Procured from acceptable manufacturers and of pharmacopeial standards Certificate of analysis is provided If quality of raw material is in doubt is independent testing conducted to confirm conforms to pharmacopeial standard. Does repacking of raw ingredients occur? (this is considered a step in manufacture by TGA and requires TGA license.) Comment..... D2 Stored in accordance with manufacturers recommended conditions or of the SDS. Only in the compounding laboratory Clearly and appropriately labelled. If hazardous, in a separate dedicated area Comment..... D3. Is there adequate control of storage/movement of materials used for compounding in/out of compounding area?

D4 Systems: Is there a customised Standard Operating Procedures (policies and procedures) for: - Simple compounding - Non-sterile complex compounding (including compounding of hazardous materials) - Sterile complex compounding SOP for assessing category of risk of compounded sterile preparation (CSP) (CAT1 to CAT5) - SOP for assigning beyond use by dates (BUDs) categories based on assigned risk level of CSPs and compounded non-sterile preparations (CNSP) (Note: e.g. risk level CAT1 – sterile to sterile product compounding – BUD is immediate use, maximum is 28 days unless BUD studies support longer time frame; BUDs for CNSP defined under USP)	Standard operating procedure manual (hardcopy or electronic) Review of finished CSP worksheet Verbal explanation: Compounding pharmacist should be able to verbally explain assigning BUDs
D5. Documentation for each episode of complex compounding: - Completed risk assessment* - Completed compounding worksheets** - Prescription and dispensing records where applicable - Reports of adverse reactions - Evidence to support suitability and stability of non-pharmacopeial formulations or where these is no precedent for formulations from reputable references. *Compounding decision support and risk assessment tool available in the Pharmaceutical Society of Australia's Professional Practice Standards, Version 5 2017 **in accordance with Australian Pharmaceutical Formulary and Handbook 26 2024	Completed risk assessments, Completed compounding worksheets, Records and/or logs of incident reports/recalls/ training/ cleaning
D6. Documentation stating prescriptions are retained for 3 years	Standard operating procedure

E. RECORDS OF CIRCUMSTANCES TO COMPOUND MEDICINES

References and Resources:

Pharmacy Board of Australia, Guidelines on compounding of medicines, August 2024

Pharmaceutical Society of Australia, Professional Practice Standards 2023

Pharmaceutical Society of Australia, Competency Standards 2016

Australian Pharmaceutical Formulary and Handbook 26,2024

Therapeutic Goods Act 1989 (Cth)

Therapeutic Goods Regulation 1990 (Cth)		
	Yes No N/A	Evidence examples
E1a. Are compounded products for use in humans ONLY prepared as single unit issue in response to valid prescription or request for compounded non-prescription product?		Prescriptions Visual inspection for Batch products or extra compounded products for
E1b. Quantities supplied are single unit or for prescription medicines, in quantity specified or confirmed by prescriber?		patient
E2. Compounded preparations for animal use are only prepared as a single unit of issue in response to instructions received from a veterinary practitioner?		Veterinary prescriptions
The Agricultural and Veterinary Chemicals Code Act 1994 (Cth) (AgVet Code)		
E3. The compounding pharmacist is satisfied there is good clinical and pharmaceutical evidence to support the quality, stability, safety, efficacy, and rationality of any extemporaneous formulation used.		Compounding worksheets
E4. Is additional data and /or evidence obtained and documented to support the compounding of formulation without precedent in reputable references and/or inadequate published data (safety, efficacy, clinical, and pharmacokinetic)		Compounding worksheets

E5a. Labels of compounded preparations meet all legislative requirements	Review label and provide
- Approved pharmacopeial name or APF name	copy of label
- Amount / concentration of active and non-active ingredients (NB: if label cannot fit non-active then list must be provided to patient)	
- Directions for use	
- Cautionary and advisory labels (as required)	
- A statement product has been compounded	
- Patient/animal (for veterinary use only) details	
- Pharmacy details	
- Unique identifying code for dispensed medicine	
E5b. Does label of compounded product include storage conditions and expiry date of product (BUD or 28 days or less if based on reliable literature)	
E6a. Batch compounding is not undertaken in anticipation of prescription/requests/orders, unless identical	Compounding worksheets
prescription/requests/orders exist for individual named patients.	
E6b. A risk assessment is conducted prior to compounding batch preparations, where multiple units of issue of preparation?	
E7. Counselling and written information is provided to patient or agent	CMI examples
E8. Does the pharmacy provide a complex compounding service to a pharmacy or pharmacies acting as a third party	Example of written
supplier?	agreement
If YES is there	SOP
i. a written agreement which includes the responsibilities of each pharmacy?	3 rd party patient risk
ii. SOP for accepting, processing and supply of the complex compounded prescription	assessment documents
iii. Documentation of risk assessment of the patient being supplied the complex compounded preparation via	
third party supply	
Reference QC2020 5.3.1	
Commont	

Comment:

Written agreement should include, transfer of prescriptions and privacy implications, conduction of risk assessment, payment, counselling, identification checks and storage of compounded medicines.

NOTE: Referring pharmacy must not take payment for the compounded preparation or request a handling fee for the prescription. Compounding pharmacy should take payment at initial consultation and provide referring pharmacy with ID/sign off sheet for patient to complete at supply. The compounded product must be dispensed and labelled by the compounding pharmacy, and the referring pharmacy MUST NOT re-dispense or re-label the product.

F. ADVERTISING of compounded preparations to the public			
Reference and resources:			
Therapeutic Goods Advertising Code, Therapeutic Goods Regulations 1990 (Cth) and Therapeutic Goods Act 1989(Cth)			
PBA Guidelines on compounding of medicines August 2024, Guidelines 14- Advertising.			
(Appendix H SUSMP - https://www.tga.gov.au/resources/publication/scheduling-decisions-final/final-scheduling-decisions-and-reasons-r	ces-and-	appendix-h/11-appendix-h)	
Pharmacy Guild Guidelines -			

Resources and references used to complete:

- 1. Pharmacy Board of Australia, Guidelines on compounding of medicines, August 2024
- 2. Pharmaceutical Society of Australia, Australian Pharmaceutical Formulary and Handbook 26,2024
- 3. Pharmaceutical Society of Australia, National Competency Standards Framework for Pharmacists in Australia, 2016
- 4. Pharmaceutical Society of Australia Professional Practice Standards 2023
- 5. Australian Pharmaceutical Formulary (APF) 26- Compounding
- 6. Pharmacy Council of New South Wales, Premises and equipment guidance for non-sterile complex compounding, 2019
- 7. The current Poisons Standard (Standard for the Uniform Scheduling of Medicines and Poisons) (Cth) in force as proclaimed in Tasmania under the Poisons and Therapeutic Goods (Poisons List) Proclamation 2016
- 8. Therapeutic Goods Act 1989 (Cth)
- 9. Therapeutic Goods Regulation 1990 (Cth)
- 10. The Agricultural and Veterinary Chemicals Code Act 1994 (Cth) (AgVet Code)
- 11. Therapeutic Goods Order No. 80 Child-Resistant Packaging Requirements for Medicines
- 12. Therapeutic Goods Order No. 91 Standard for Labels of prescription and related medicines
- 13. Therapeutic Goods Order N. 92 Standard for labels of non-prescription medicines
- 14. Pharmacy Board of Australia, Guidelines for dispensing of medicines, 2015
- 15. Pharmacy Board of Australia, Guidelines for advertising regulated health services, 2014
- 16. Therapeutic Goods Advertising Code 2018
- 17. Poisons Regulations 2018(TAS)
- 18. Poisons Act 1997
- 19. Pharmacy Control Act 2001
- 20. Tasmanian Pharmacy Authority Guidelines v6.2
- 21. United States Pharmacopoeia (USP) November 2023 section 795 (non-sterile compounding) and 797 (sterile compounding)
- 22. Quality Care 2020 5.3